ELSEVIER

Toxicology 123 (1997) 247–248

TOXICOLOGY

Volume contents

Volume 123 (1997)

Effects of sodium sulfate on acute *N*-(3,5-dichlorophenyl)succinimide (NDPS) nephrotoxicity in the Fischer 344 rat
Sulfate conjugates of NDPS metabolites may be instrumental in nephrotoxicity
G.O. Rankin, S.K. Hong, M.A. Valentovic, K.W. Beers, D.K. Anestis, D.W. Nicoll, J.G. Ball, P.I. Brown (USA) 1–13

1,3-Dinitrobenzene metabolism and toxicity in seminiferous tubules isolated from rats of different ages
No differences were found in the metabolic capacity between rats 30, 75 and 120 days old
C.F. Jacobson, M.G. Miller (USA) 15–26

Change of cardiac β-adrenoceptors in lead-exposed rats
Chronic exposure dose-dependently decreases receptor density but not binding affinity
H.-R. Chang, S.-S. Chen, D.-A. Tsao, J.-T. Cheng, C.-K. Ho, H.-S. Yu (Taiwan) 27–32

The cell-damaging effects of low amounts of homocysteine and copper ions in human cell line cultures are caused by oxidative stress
Cellular sulphhydryls are affected in a complex manner
B. Hultberg, A. Andersson, A. Isaksson (Sweden) 33–40

Neuroprotection afforded by MK-801 against L-2-chloropropionic acid-induced cerebellar granule cell necrosis in the rat
An example of selective neurotoxicity and its protection by receptor antagonism
E.A. Lock, A. Gyte, S.J. Duffell, M.G. Simpson, I. Wyatt (UK) 41–51

Mouse lung epithelial cell lines—tools for the study of differentiation and the neoplastic phenotype
A comprehensive review of available data
A.M. Malkinson, L.D. Dwyer-Nield, P.L. Rice, D. Dinsdale (USA, UK). 53–100

Lack of correlation between hepatic prostaglandin concentrations and DNA synthesis after the administration of phenobarbital and the peroxisome proliferator ciprofibrate in rats
A comparative study in male Sprague-Dawley rats
L.K. Leung, H.P. Glauert (USA) 101–109

Hemotoxicity of Chlorpropham (CIPC) in F344 rats
Erythrocytes are the primary target for chlorpropham toxicity
T. Fujitani, Y. Tada, A.T. Noguchi, M. Yoneyama (Japan) 111–124

Comparison of the disposition of butadiene epoxides in Sprague–Dawley rats and B6C3F$_1$ mice following a single and repeated exposures to 1,3-butadiene via inhalation
After repeated inhalation exposure, fat tissue sequesters butadiene monoepoxide
J.R. Thornton-Manning, A.R. Dahl, W.E. Bechtold, W.C. Griffith Jr., R.F. Henderson (USA). 125–134

Carbendazim and *n*-butylisocyanate: metabolites responsible for benomyl double action on cytochrome P450 in HepG2 cells
Metabolites of the fungicide show various effects on oxidative isozymes
S. Radice, L. Marabini, M. Gervasoni, M. Ferraris, E. Chiesara (Italy). 135–142

Effects of occupational lead and cadmium exposure on some immunoregulatory cytokine levels in man
Occupational lead and cadmium exposure suppressed IL-1β, but not IL-2, and TNF-α levels
B. Yücesoy, A. Turhan, M. Üre, T. İmir, A. Karakaya (Turkey) 143–147

An assessment of antigenic potential of β-lactam antibiotics, low molecular weight drugs, using guinea pig models
The maximisation test was found to be more reliable than systemic anaphylaxis, passive cutaneous anaphylaxis and ELISA to assess the antigenic potential of β-lactam antibiotics in guinea-pigs
H. Hattori, F. Yamaguchi, N. Wagai, M. Kato, M. Nomura (Japan). 149–160

0300-483X/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved.
PII S0300-483X(97)00140-6

Letter to the Editor 161
Reply 163
Announcement 165

Cataract development induced by repeated oral dosing with FK506 (tacrolimus) in adult rats
Cataract is caused by sorbitol accumulation due to a diabetogenic effect of the drug
H. Ishida, T. Mitamura, Y. Takahashi, A. Hisatomi, Y. Fukuhara, K. Murato, K. Ohara (Japan, Germany) 167–175
Hepatitis A impairs the function of human hepatic CYP2A6 in vivo
Impairment of cumarin-7-hydroxylation is greater in hepatitic children than adults
M. Pasanen, Z. Rannala, A. Tooming, E.A. Sotaniemi, O. Pelkonen, A. Rautio (Finland, Estonia) 177–184
Heat shock protein induction by certain chemical stressors is correlated with their cytotoxicity, lipophilicity and protein-denaturing capacity
Seven chemicals of different character show the correlation, however with some exceptions
U. Neuhaus-Steinmetz, L. Rensing (Germany) 185–195
Reevaluation of cyclosporine induced hepatotoxicity in the isolated perfused rat liver
Basic functions like bile flow intracellular retention of marker enzymes and oxygen consumption are negatively affected
M. Deters, O. Strubelt, M. Younes (Germany, Switzerland) 197–206
Cyanide induced DNA fragmentation in mammalian cell cultures
Besides its interruption of cellular respiration cyanide also leads to DNA fragmentation
R. Bhattacharya, P.V. Lakshmana Rao (India) 207–215
Comparison of the effects of di-(2-ethylhexyl)adipate on hepatic peroxisome proliferation and cell replication in the rat and mouse
While peroxisome proliferation is similar in both species replicative DNA synthesis can be stimulated in mouse but not in rat liver
B.G. Lake, R.J. Price, M.E. Cunninghame, D.G. Walters (UK) 217–226
The role of metabolism in 2-methoxyethanol-induced suppression of in vitro polyclonal antibody responses by rat and mouse lymphocytes
Rat lymphocytes are more sensitive to 2-methoxy-acetaldehyde, a major metabolite of 2-methoxyethanol, than mouse lymphocytes
B.-S. Kim, R.J. Smialowicz (USA) 227–239

Author index 241
Subject index 243–245
Volume contents 247–248